



MODEL JH6 28.550 FT

6x4 AMT TRUCK TRACTOR

ODEL JH6 28.550 FT 6x4 AMT TRUCK TRACTOR

CAB

Cab Control Forward Tilt Cab
Seating Driver + 1 Passenger

Sleeper Cab with Aircon, Radio with USB, Suspension seat

ENGINE

Make & Model


Capacity

Layout & Type

Capacity

Capacit





TRANSMISSION

 Make & Model
 ZF12TX2621TD

 Type
 12 Speed AMT with Intarder

 16.69, 12.92, 9.93, 7.67, 5.90,

 Forward Ratios
 4.57, 3.66, 2.83, 2.17, 1.68, 1.29, 1.00

 Reverse Ratio
 15.54, 12.03

CLUTCH

Diameter 430 mm

Type Dry Type Single Plate

Operation Air Assisted

STEERING

Gear Ratio 23:1

Type Recirculating Ball

Operation Hydraulic Power Steering

PERFORMANCE

Gradeability @ V Max 30%
Permissible Road Speed 80km/h

AXLES

Front Axle I- Beam section (Forged Steel)
Rear Axle Gearing Type
Rear Axle Ratio 3.077:1

BRAKES

System Type Full Air - Dual Circuit with ABS
Park/Emergency
System Spring Brake/Rear Booster
Auxiliary Braking Engine Brake, Intarder

FUEL TANK

Number Two
Total Capacity 725+500 Litre

ELECTRICAL SYSTEM

System Voltage & Type 24V Negative Earth / 75 Ampere
No. of Batteries Two X 12V

CHASSIS

Type Straight Ladder Type - Riveted

Front Suspension Parabolic Leaf Springs with
Double Acting Shock Absorbers

Rear Suspension Air Suspension

WHEELS

 Tyre Size
 315/80R22.5-20

 Rim Size
 9.00 X 22.5

 Type
 Tubeless Radial

MASS DATA	kg
Manufacturer's Gross Vehicle Mass (GVM)	28 000
Manufacturer's Gross Combination Mass (GCM)	62 200
Manufacturer's Front Axle Mass (GA Front)	7 000
Manufacturer's Rear Axle Mass (GAU Rear)	18 000
Permissible Gross Vehicle Mass (V)	25 700
Permissible Gross Combination Mass (D/T)	56 000
Permissible Front Axle Mass (A Front)	7 000
Permissible Rear Axle Mass (A Rear)	18 000
Unladen Front Axle Mass (T Front)	5 330
Unladen Rear Axle Mass (T Rear)	3 920
Unladen Mass Total (Tare)	9 250

DIMENSIONS	
DIMENSIONS	mm
Wheelbase (WB)	3 450 + 1 350
Overall Length (OL)	6 890
Cab Length (A)	2 646
Overall Width (OW)	2 500
Overall Height (OH)	3 995
Front Overhang (D)	1 495
Rear Overhang (ROH)	745
Cab to Rear Axle (CA)	4 152
Minimum Turning Radius	7 500
Minimum Turning Diameter	15 000
Ground Clearance	222
Track - Front	2 042
Track - Rear	1 852
Chassis Outer Width	800
Chassis Inner Width	640

OTHERS

Refrigerator & Air Conditioner ECAS/AEBS/EBS/ ESC/FCW/LDWS Jost Fifth wheel

The above specifications are not binding - subject to change without prior notice.

